



HOW IT WORKS

The HelloYeti solution Integrates the reception of visitors at your company with Microsoft Teams. It is a Video doorbell (Intercom) with a nice 7" color touchscreen in a sturdy outdoor device. HelloYeti shows your company logo/video, as well as one or more buttons on the screen to allow Visitors to contact Teams users in the company by (video)call.



Key features:

- Calls can go to one user or a group of users. Calls will follow Teams call-flow logic
- Only a standard Teams client is needed to answer calls, no extra software
- Door can be opened remotely for the Visitor from the Teams client
- Fully customizable by you: logo/video, button(s), label(s), call destination(s), colors, door-opening command
- Can be used as an Entry Access system (with PIN or Card).
- Direct call buttons (eg "Reception") and sub-directory buttons that show a sub-menu of people to call (like a list of people in a specific department, for a specific product, for a specific brand, ...)

Licensing


One Standard Account from your tenant per device, licensed for Teams:

- It can be a Teams License
- or a Teams Shared Device License

Technical

- IP65 Waterproof & anti glare tempered glass
- On-wall or Flush mounting
- **No gateway or server-software needed**

Technical Teams connectivity drawing



Hardware specifications

Model HelloYeti	
Panel Size	7"
Brightness	400nits
Resolution	800 x 1280
OS	Android
Wifi	2Ghz + 5GHz
Ethernet	100/1000 LAN POE+ (IEEE 802.3at PoE+)
Digital I/O	Relay x 2, RS485 x 1, RS232 x 1
USB	Micro USB x 1 Stock
RFID module	EM4100, Mifare S50 S70, Desfire, FM1208
Microphone	Dual noise canceling microphone
Speaker	2 x 2W
Camera	2mp, viewing angle at 115(H), 63(V)
Mounts	Wall mount or flush mounting
Consumption	12W PoE or 12V DC
Power Supply	(power adaptor not included)
Dimension (mm)	267 x 131 x 41
Weight (kg)	1.6KG
Box Dimension (mm)	Approx. 405 x 208 x 127
Box Weight	2KG (without bracket)
Working Temperature	-30 -60 degree celsius